

1. Identification of Substance and Company	
Product Name	: SIN RUBTECH® POLYMER BOUND PREDISPERSED IS – 65G
Trade Name	: IS – 65G
Manufacturer	: UA Rubber Speciality Chemical Sdn. Bhd.
Supplier	: Sin Rubtech Consultancy Sdn. Bhd.
Address	: 10-12 Jalan Industri Cherok To’Kun 2, Taman Industri Cherok To’Kun, 14000 Bukit Mertajam, Seberang Prai Utara, Penang, Malaysia.
Telephone	: 604 – 5511804
Fax	: 604 – 5514804
Website / E-Mail	: www.sinrubtech.com / marketing@sinrubtech.com

2. Composition / Information on ingredients	
A proprietary predispersed 65% insoluble sulphur (u - sulphur) in 35% elastomeric / processing aids binder.	
CAS No	IS : 9035 – 99 – 8
	Hazard Symbol : Xi,
	R phrases : 10, 22, 36/
Binder	: Trade Secret

3. Hazards Identification	
Hazard Designation	: Flammable.
Health Hazards	: -
Inhalation	: Not applicable at ambient temperatures.
Skin Contact	: Avoid direct contact. Can cause irritation.
Eye Contact	: Can cause irritation
Ingestion	: Unlikely to be harmful unless excessively taken.

4. First-aid Measures	
Inhalation	: After inhalation of vapours during processing remove to fresh air.
Skin Contact	: Wash with plenty of water and soap.
Eye Contact	: Wash with plenty of water and obtain medical attention if any sensation persists.
Ingestion	: Remove material from mouth. Wash with water. If large amounts swallowed or symptoms develop seek medical attention.

5. Fire-fighting Measures	
Extinguishing Media	: Water spray, foam, carbon dioxide, dry chemicals.
Special Protective Equipment	: Protective clothing and self-contained breathing equipment should be available for firemen.

6. Accidental Release Measures	
Methods for Cleaning / Collecting	: Sweep up and transfer product to a suitably labelled container and dispose at an approval site.
7. Handling and Storage	
Handling	: No special precautions necessary but normal industrial good housekeeping practices should be followed as for any rubber additive.
8. Exposure Controls / Personal Protection	
General Precautions	: Good industrial hygiene should be followed.
Ventilation	: Adequate ventilation should be maintained when handling heated product.
Occupational Exposure Limits	: See item 15.
Personal Protective Equipment	: Normal precautions should be observed as for handling all chemicals.
9. Physical and Chemical Properties	
Form/Colour/Odour	: Granules / Yellow / Faint
pH	: Not Applicable.
Boiling Point	: Not Applicable.
Solidif./Melting Point	: Not Applicable.
Flash Point	: Not Applicable.
Auto-ignition Temp.	: > 200°C
Explosive/oxidizing properties	: Not to be expected.
Vapor pressure (mbar/20°C)	: Not Applicable.
Density (g/cm ³)	: 1.23 Approx.
Solubility in Organic Solvents	: Insoluble.
Solubility in Water	: Insoluble.
10. Stability and Reactivity	
Stability	: Stable under normal conditions.
Conditions to Avoid	: Keep away from sources of ignition.
Materials to Avoid	: Combustible materials and strong oxidising agents.
Hazardous Decomposition Products	: Oxides of carbon, nitrogen and sulphur.
Hazardous Polymerisation	: Will not occur.

11.	Toxicological Information
According to experience, no harmful effects are to be expected under proper handling conditions. Sulphur can however cause irritation and soreness to skin and eyes with long term exposure.	
12.	Ecological Information
Degradability : Not available	
13.	Disposal Consideration
Waste Disposal Method : Incinerate according to local regulations	
Contaminated Container Disposal : Observe local regulations.	
14.	Transport Information
Not classified in RID/ADR - ADNR - IMDG - ICAO/IATA - DGR.	
15.	Regulatory Information
Labelling in accordance with Annex T of directive 57/548/EEC and its amendments and adaptations:	
<u>Symbol</u>	<u>Hazard Description</u>
Xi	: Irritant
	:
Contains	: (Polymeric, Rhombic) Sulphur.
<u>Risk phrase(s)</u>	<u>Definition</u>
R 10	: Flammable.
R 22	: Harmful if swallowed.
R 36/	: Irritating to eyes.
<u>Safety phrase(s)</u>	<u>Definition</u>
S 36/37	: Wear suitable protective clothing and gloves.
16.	Other Information (training needs, possible restrictions, data sources, etc)
Data Sources : Sin Rubtech Consultancy Sdn. Bhd.	
Department issuing MSDS : Technical Department.	
Contact : Sin Yoong Leong. Technical Manager	

Disclaimer

The data contained herein is based on information that Sin Rubtech® believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product and no agent of Sin Rubtech® is authorized to vary any of such data. Sin Rubtech® and its agents disclaim all liability for any actions taken or foregone on reliance on such data.